

June 19, 2017

Mr. David Alford
General Manager
Neches & Trinity Valleys Groundwater Conservation District
P.O. Box 1387
Jacksonville, TX 75766

Dear Mr. Alford:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 17-024 MAG) are in response to this directive.

District representatives in Groundwater Management Area 11 adopted desired future conditions for the Carrizo-Wilcox, Queen City, and Sparta aquifers on January 11, 2017. The TWDB received the desired future condition explanatory report and related material from the Groundwater Management Area 11 groundwater consultant, Dr. Bill Hutchison, on February 15, 2017.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping

Our Mission

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas

Board Members

Bech Bruun, Chairman | Kathleen Jackson, Board Member | Peter Lake, Board Member
Jeff Walker, Executive Administrator

is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Dr. Rima Petrossian of our Groundwater Technical Assistance staff at 512-936-2420 or rima.petrossian@twddb.texas.gov if you have any questions or need any further information.

Respectfully,



Jeff Walker
Executive Administrator

Attachment: GAM Run 17-024 MAG

c w/att.: Dr. Bill Hutchison, Groundwater Consultant
J. Kevin Ward, Trinity River Authority
Walt Sears Jr., Northeast Texas Municipal Water District
Stacy Corley, City of Nacogdoches
Amy Kaarlela, Freese & Nichols, Inc.
Tony Smith, Carollo Engineers
Rex Hunt, Alan Plummer Associates, Inc.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Robert Mace, Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

June 19, 2017

Ms. Leah Adams
General Manager
Panola County Groundwater Conservation District
419 W. Sabine Street
Carthage, TX 75633

Dear Ms. Adams:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 17-024 MAG) are in response to this directive.

District representatives in Groundwater Management Area 11 adopted desired future conditions for the Carrizo-Wilcox, Queen City, and Sparta aquifers on January 11, 2017. The TWDB received the desired future condition explanatory report and related material from the Groundwater Management Area 11 groundwater consultant, Dr. Bill Hutchison, on February 15, 2017.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping

Our Mission

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas

Board Members

Bech Bruun, Chairman | Kathleen Jackson, Board Member | Peter Lake, Board Member
Jeff Walker, Executive Administrator

Leah Adams, General Manager


June 19, 2017

Page 2

is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Dr. Rima Petrossian of our Groundwater Technical Assistance staff at 512-936-2420 or rima.petrossian@twddb.texas.gov if you have any questions or need any further information.

Respectfully,


Jeff Walker
Executive Administrator

Attachment: GAM Run 17-024 MAG

c w/att.: Dr. Bill Hutchison, Groundwater Consultant
J. Kevin Ward, Trinity River Authority
Walt Sears Jr., Northeast Texas Municipal Water District
Stacy Corley, City of Nacogdoches
Amy Kaarlela, Freese & Nichols, Inc.
Tony Smith, Carollo Engineers
Rex Hunt, Alan Plummer Associates, Inc.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on
Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Robert Mace, Deputy Executive Administrator, Water Science and
Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

June 19, 2017

Mr. Jackie Risner
General Manager
Pineywoods Groundwater Conservation District
P.O. Box 635187
Nacogdoches, TX 75963

Dear Mr. Risner:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 17-024 MAG) are in response to this directive.

District representatives in Groundwater Management Area 11 adopted desired future conditions for the Carrizo-Wilcox, Queen City, and Sparta aquifers on January 11, 2017. The TWDB received the desired future condition explanatory report and related material from the Groundwater Management Area 11 groundwater consultant, Dr. Bill Hutchison, on February 15, 2017.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping

Our Mission

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas


Board Members

Bech Bruun, Chairman | Kathleen Jackson, Board Member | Peter Lake, Board Member
Jeff Walker, Executive Administrator

is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Dr. Rima Petrossian of our Groundwater Technical Assistance staff at 512-936-2420 or rima.petrossian@twddb.texas.gov if you have any questions or need any further information.

Respectfully,


Jeff Walker
Executive Administrator

Attachment: GAM Run 17-024 MAG

c w/att.: Dr. Bill Hutchison, Groundwater Consultant
J. Kevin Ward, Trinity River Authority
Walt Sears Jr., Northeast Texas Municipal Water District
Stacy Corley, City of Nacogdoches
Amy Kaarlela, Freese & Nichols, Inc.
Tony Smith, Carollo Engineers
Rex Hunt, Alan Plummer Associates, Inc.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Robert Mace, Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

June 19, 2017

Ms. Amanda Maloukis
General Manager
Rusk County Groundwater Conservation District
P.O. Box 97
Henderson, TX 75653

Dear Ms. Maloukis:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 17-024 MAG) are in response to this directive.

District representatives in Groundwater Management Area 11 adopted desired future conditions for the Carrizo-Wilcox, Queen City, and Sparta aquifers on January 11, 2017. The TWDB received the desired future condition explanatory report and related material from the Groundwater Management Area 11 groundwater consultant, Dr. Bill Hutchison, on February 15, 2017.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping

Our Mission

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas

Board Members

Bech Bruun, Chairman | Kathleen Jackson, Board Member | Peter Lake, Board Member
Jeff Walker, Executive Administrator

is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Dr. Rima Petrossian of our Groundwater Technical Assistance staff at 512-936-2420 or rima.petrossian@twddb.texas.gov if you have any questions or need any further information.

Respectfully,



Jeff Walker
Executive Administrator

Attachment: GAM Run 17-024 MAG

c w/att.: Dr. Bill Hutchison, Groundwater Consultant
J. Kevin Ward, Trinity River Authority
Walt Sears Jr., Northeast Texas Municipal Water District
Stacy Corley, City of Nacogdoches
Amy Kaarlela, Freese & Nichols, Inc.
Tony Smith, Carollo Engineers
Rex Hunt, Alan Plummer Associates, Inc.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Robert Mace, Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

June 19, 2017

Mr. Richard LeTourneau
Chair
North East Texas Regional Water Planning Group
P.O. Box 12071
Longview, TX 75607

Dear Mr. LeTourneau:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 17-024 MAG) are in response to this directive.

District representatives in Groundwater Management Area 11 adopted desired future conditions for the Carrizo-Wilcox, Queen City, and Sparta aquifers on January 11, 2017. The TWDB received the desired future condition explanatory report and related material from the Groundwater Management Area 11 groundwater consultant, Dr. Bill Hutchison, on February 15, 2017.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping

Our Mission

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas


Board Members

Bech Bruun, Chairman | Kathleen Jackson, Board Member | Peter Lake, Board Member
Jeff Walker, Executive Administrator

is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Dr. Rima Petrossian of our Groundwater Technical Assistance staff at 512-936-2420 or rima.petrossian@twddb.texas.gov if you have any questions or need any further information.

Respectfully,


Jeff Walker
Executive Administrator

Attachment: GAM Run 17-024 MAG

c w/att.: Dr. Bill Hutchison, Groundwater Consultant
J. Kevin Ward, Trinity River Authority
Walt Sears Jr., Northeast Texas Municipal Water District
Stacy Corley, City of Nacogdoches
Amy Kaarlela, Freese & Nichols, Inc.
Tony Smith, Carollo Engineers
Rex Hunt, Alan Plummer Associates, Inc.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Robert Mace, Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

June 19, 2017

Ms. Jody Puckett
Chair
Region C Regional Water Planning Group
c/o City of Dallas Water Utilities
1500 Marilla Street, Rm. 4AN
Dallas, TX 75201

Dear Ms. Puckett:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 17-024 MAG) are in response to this directive.

District representatives in Groundwater Management Area 11 adopted desired future conditions for the Carrizo-Wilcox, Queen City, and Sparta aquifers on January 11, 2017. The TWDB received the desired future condition explanatory report and related material from the Groundwater Management Area 11 groundwater consultant, Dr. Bill Hutchison, on February 15, 2017.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important

Our Mission

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas


Board Members

Bech Bruun, Chairman | Kathleen Jackson, Board Member | Peter Lake, Board Member
Jeff Walker, Executive Administrator

for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Dr. Rima Petrossian of our Groundwater Technical Assistance staff at 512-936-2420 or rima.petrossian@twdb.texas.gov if you have any questions or need any further information.

Respectfully,



Jeff Walker
Executive Administrator

Attachment: GAM Run 17-024 MAG

c w/att.: Dr. Bill Hutchison, Groundwater Consultant
J. Kevin Ward, Trinity River Authority
Walt Sears Jr., Northeast Texas Municipal Water District
Stacy Corley, City of Nacogdoches
Amy Kaarlela, Freese & Nichols, Inc.
Tony Smith, Carollo Engineers
Rex Hunt, Alan Plummer Associates, Inc.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Robert Mace, Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

June 19, 2017

Mr. Kelley Holcomb
Chair
East Texas Regional Water Planning Areas
c/o Angelina & Neches River Authority
P.O. Box 387
Lufkin, TX 75902

Dear Mr. Holcomb:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 17-024 MAG) are in response to this directive.

District representatives in Groundwater Management Area 11 adopted desired future conditions for the Carrizo-Wilcox, Queen City, and Sparta aquifers on January 11, 2017. The TWDB received the desired future condition explanatory report and related material from the Groundwater Management Area 11 groundwater consultant, Dr. Bill Hutchison, on February 15, 2017.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important

Our Mission

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas


Board Members

Bech Bruun, Chairman | Kathleen Jackson, Board Member | Peter Lake, Board Member
Jeff Walker, Executive Administrator

for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Dr. Rima Petrossian of our Groundwater Technical Assistance staff at 512-936-2420 or rima.petrossian@twdb.texas.gov if you have any questions or need any further information.

Respectfully,



Jeff Walker
Executive Administrator

Attachment: GAM Run 17-024 MAG

c w/att.: Dr. Bill Hutchison, Groundwater Consultant
J. Kevin Ward, Trinity River Authority
Walt Sears Jr., Northeast Texas Municipal Water District
Stacy Corley, City of Nacogdoches
Amy Kaarlela, Freese & Nichols, Inc.
Tony Smith, Carollo Engineers
Rex Hunt, Alan Plummer Associates, Inc.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Robert Mace, Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning